


**1**

Mirror your image or artwork



**2**

Cut your image using a contour/plotter cutter, ensuring the blade cuts through the film only and not the release liner



**CRICUT GUIDELINES\***


SETTING **Flocked Iron On**  
(optional additional pressure)  
BLADE **Standard Fine Cut**  
PRESSURE **Default/Added Pressure**

**SILHOUETTE**  
BLADE SETTING\* **3**  
SPEED 5 FORCE 33

\*Adjust as necessary. Use a cutting mat (carrier sheet) and cut through the film layer only. Test cuts are recommended.

**3**

Weed away the unwanted film, leaving the image on the release liner (a weeding tool may help)



**4**

Pre-heat iron for **3 minutes** on the highest cotton setting




**5**

Choose a smooth hard surface at waist level




**6**

Place image face down on substrate and cover with a Teflon or silicone sheet



**7**

Using two hands firmly slide the iron vertically up and down




The iron should be halfway off the edge of the transfer when the edges are ironed

In **90 seconds** the iron should make two passes over the surface of the transfer

**8**

Using two hands firmly slide the iron horizontally side to side



The iron should be halfway off the edge of the transfer when the edges are ironed

In **90 seconds** the iron should make two passes over the surface of the transfer

**9**



Peel when warm\*

24hrs before washing

\*After approximately 10 seconds


1

Mirror your image or artwork



2

Cut your image using a contour/plotter cutter, ensuring the blade cuts through the film only and not the release liner



**CRICUT GUIDELINES\***


SETTING **Flocked Iron On**  
(optional additional pressure)  
BLADE **Standard Fine Cut**  
PRESSURE **Default/Added Pressure**

**SILHOUETTE**  
BLADE SETTING\* **3**  
SPEED 5 FORCE 33

\*Adjust as necessary. Use a cutting mat (carrier sheet) and cut through the film layer only. Test cuts are recommended.

3

Weed away the unwanted film, leaving the image on the release liner (a weeding tool may help)




4

Prepare the heat press at **165°C / 330°F**




5

Place image face down on substrate




6

Cover with a Teflon or silicone sheet



7

Apply **medium** pressure for **17 seconds**



8



Peel when warm\*

24hrs before washing

\*After approximately 10 seconds

## wash and care instructions



Machine wash separately



Dry at low heat setting



Do not bleach or directly iron image

## contact

✉ hello@yolo.co.uk

☎ +44 (0) 2082 400 658

🌐 www.yolo.co.uk

Product code: **VPRE (Premium)**



Store in a cool, dry place and seal the packaging between uses