

SUITABLE FOR:



“ Transfers full colour images to dark fabrics leaving no background polymer! ”

step one ●● Print your image with a Laser Printer



- Mirror your image or artwork
- Use 'heavy paper' printer settings such as 'label' or 'transparency' mode to slow down the paper and ensure fusing of the toners
- Run 2-3 sheets of blank paper through your printer to warm up the fuser to operating temperature
- Take the imaging sheet (**purple** backed sheet) and load so that the image will appear on the coated (unprinted) side of the paper
- Feed paper into the printer/copier with the short dimension first (grain long)
- There is no need to trim away unprinted areas of the transfer as this paper is self-weeding and has no background plastic polymer

yolo recommends...

Choosing a garment with a tight weave and an image with intense colours (more than 50% saturation and not pastels, tints or photographs).

step two ●● Transfer your image with a Heat Press



Application to cotton, 50/50 blends or polyester fabrics:

1st Press (to prepare the paper):

- Prepare the heat press at **95°C-100°C**
- Place transfer sheet (**beige** printed sheet) on top of the imaging sheet (**purple** backed sheet)
- Apply medium pressure for **20 seconds** to apply the transfer coating to the imaged area (do not use heavy pressure as this may cause a white border to form around your image)
- Separate the papers whilst hot with a smooth and even motion

2nd Press (to transfer the image):

- Prepare the heat press at **200°C**
- Pre-press your garment for a few seconds to remove wrinkles and any moisture
- Place the treated imaging sheet (**purple**) face down onto the shirt or other substrate
- Apply heavy pressure for **15-25 seconds**
- For best results, allow the fabric to cool completely and cold peel by removing the backing paper smoothly and evenly



yolo recommends...

Reducing the temperature by 5-10°C for 50/50 blend fabrics as they absorb heat more quickly.
Stretching the fabric after peeling to increase softness and lessen hard hand and film edge.

step three ●● Wash and care instructions



- Leave finished item for at least 24 hours before washing
- Machine wash separately, inside out in cold water
- Dry at low heat settings
- Do not dry clean, use bleach or iron over the transfer

yolo recommends...

Storing your transfer paper in a cool, dry place and sealing the packaging between uses.

100% Money Back Guarantee

We test all products thoroughly on various substrates, using different transfer equipment. As it is impossible to replicate all possible variations, it is essential that you test this transfer paper using your equipment, methods and substrate material prior to production. Heat presses vary in accuracy so you should conduct tests to determine the best time and temperature for your equipment. The Seller's and Manufacturer's maximum obligation is to replace any paper that has proven to be defective. Neither the Seller nor the Manufacturer shall be liable for any injury, direct or consequential, arising out of the use of, or inability to use this paper.